



Product Technical Specification

THERMAL LAMINATION TLS 450 m

V.PT325.0.1

Ucapture
Venhance




THERMAL LAMINATION TLS 450 m

PINNACLE®

THERMAL LAMINATION TLS 450 m FLOOR DIMENSION

capture
enhance



PINNACLE®

Ucapture
Venhance




THERMAL LAMINATION TLS 450 m with rewinding system

PINNACLE®

THERMAL LAMINATION TLS 450 m with rewinding FLOOR DIMENSION

capture
enhance



PINNACLE®

TECHNICAL SPECIFICATION



MACHINE DIMENSION	1415 x 720 x 1435 (mm)
MACHINE DIMENSION WITH REWINDING	1432 x 720 x 1435 (mm)
POWER SUPPLY	220V AC (50 Hz)
POWER CONSUMPTION	2500 WATTS
LAMINATION SPEED	UPTO 5 MTR / MIN, VARIABLE
MIN PAPER SIZE	200 mm 200 mm
MAX PAPER SIZE	330 mm 482 mm
THICKNESS OF PAPER	125 GSM – 400 GSM
SPEED	450 SHEETS / HR

Thermal Lamination TLS 450 m is Pinnacle's latest model developed, especially to give an exotic and enhanced finishing to the media / prints. This is a Manual Feeding Single side lamination machine with Auto cut system also comes with Rewinding system.

FEATURES



- User friendly LCD Control Display to operate various functions.
- High Accuracy Sensor has been provided to maintain Accurate Temperature.
- Anti Curl Device.
- Easily controlled speed for varied papers and lamination films, speed up to 5 Mtr /min.
- 1"(Inch) core for small lamination film roll & 3"(Inch) core for jumbo Film roll.
- Inline Trimming and Perforation
- Standby mode to save the power consumption on idle condition of the machine.



Ucapture
Venhance



pinnacletechnocrats.com



sales@pinnacletechnocrats.com

